



CHRISTIANA CARE
HEALTH SERVICES

4755 Ogletown-Stanton Road
PO Box 6001
Newark, Delaware 19718-6001

302-733-1000

July 19, 2012

Environmental Protection Agency
Director
Air Protection Division
1650 Arch Street
Philadelphia, PA 19103

RECEIVED
AUG 01 2012
3AP20

Subject: Initial Notification 40 CFR 63 Subpart ZZZZ

Dear Sir / Madam:

Enclosed is the Initial Notification Report for Christiana Care Health Services Christiana Hospital facility. The existing generators were previously classified as emergency use only. As of this July the units identified on the attached form have been modified with new emission controls to permit their use for other purposes than solely emergency power generation. The Initial Notification documents have also been submitted to the DNREC Division of Air and Waste Management.

Please feel free to contact me at (302) 733-3788 if you have any questions.

Sincerely,

Jeffrey Krebs,
Mechanical Engineering Manager

Initial Notification of Applicability^b

National Emission Standards for Hazardous Air Pollutants:
Stationary Reciprocating Internal Combustion Engines
40 CFR Part 63 Subpart ZZZZ

☒ Yes, I am subject to 40 CFR Part 63 subpart ZZZZ National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines

NAICS code(s): 622110

Compliance Date: ☒ Existing source: May 3, 2013 ☐ New/reconstructed source: upon initial startup

Note: The May 3, 2013 compliance date for existing sources applies to the following engine types:

- Existing non-emergency compression ignition (CI) stationary RICE with a site rating of more than 500 brake HP located at a major source of HAP emissions
- Existing stationary CI RICE with a site rating of less than or equal to 500 brake HP located at a major source of HAP emissions
- Existing stationary CI RICE located at an area source of HAP emissions – ***four engines were previously classified as emergency use, but are being re-classified as non-emergency use and therefore will be subject to emissions standards. This notification is being submitted with the application to reclassify these engines.***

Company name: Christiana Care Health Services, Inc.

Facility name (if different): Christiana Hospital

Facility (physical location) address: 4755 Ogletown Stanton Road Newark, DE 19718

My facility is a (please choose one): ☐ Major source ☒ Area source

Owner name/title: ROBERT A MULROONEY

Owner/company address: CHRISTIANA CARE HOSPITALS
WILMINGTON, DE

Owner telephone number: (302) 733-3994

Owner email address (if available): RMULROONEY@CHRISTIANACARE.ORG

If the Operator information is different from the Owner, please provide the following:

Operator name/title: Robert Mulrooney, V.P. Facilities and Services

Operator telephone number: (302) 733-3994

Operator email address (if available): RMULROONEY@CHRISTIANACARE.ORG

Brief description of the stationary RICE at the facility, including number of engines and the site-rated HP of each engine:

ID	Description	S/N
Emission Unit 101	Emergency generator No. 1 (1,330 hp)	024Z00805
Emission Unit 102	Emergency generator No. 2 (1,330 hp)	024Z00804
Emission Unit 103	Emergency generator No. 3 (1,330 hp)	024Z00673
Emission Unit 104	Emergency generator No. 4 (1,330 hp)	024Z00803

I hereby certify that the information presented herein is correct to the best of my knowledge.


(Signature)

7/19/2011
(Date)

ROBERT MULROONEY / V.P. FACILITIES AND SERVICES (302) 733-3994
(Name/title) (Telephone No.)